

LIST OF PROBLEMS

We follow the notation in the page of open questions. For a survey of Galois points and related topics, see [10]. In what follows, comments and references are given in *italics* between – and –.

I CHARACTERISTIC ZERO CASE

(A) Curve Case

(1) Galois points and Galois groups for plane curves C

(a) Find Galois points and the Galois groups for singular plane curves.

– *for smooth curves, the number of Galois points is at most three (resp. four) if they are outer (resp. inner). The Galois groups are cyclic.* [35, 50] –

(i) How is the structure of Galois group and how many Galois points do there exist? Is it true that the maximal number of outer (resp. inner) Galois points is three (resp. four)?

– *for rational curves* [32, 56, 57, 60], *for elliptic curves* [26], *for curves of prime degree* [4] –

(ii) Study the property of singularity when C has a Galois point. In particular, if a singular point is also Galois, how is the property of the singularity? Find the characterization of the curve with the maximal number of Galois points.

– *for lower degree or rational curves,* [28, 29, 30, 45, 56, 57, 60] –

(iii) Does there exist a curve with three Galois points such that their groups are not isomorphic to one another? More generally, consider the set

$$\{ G_P \mid P \in \mathbb{P}^2 \text{ is a Galois point for } C \} \quad (\text{mod isomorphism}).$$

– [47] –

(b) Each element of G induces a birational transformation of C over \mathbb{P}^1 . When is it extendable to a projective or birational transformation of \mathbb{P}^2 ?

– *for rational curves,* [31, 58] –

– *for relevant results,* [31, 33, 34] –

(c) Determine the group generated by $\{ \sigma \mid \sigma \in G_P, P \text{ is a Galois point} \}$ in the group of birational transformations of C .

– *for a surface case,* [25] –

(2) Non-Galois points for plane curves C

(a) Find the curve C with the constant Galois groups, i.e., for any $P \in \mathbb{P}^2$ the Galois group is the full symmetric group, in other words, if $P \notin C$ (resp. $P \in C$), then $G_P \cong S_d$ (resp. $G_P \cong S_{d-1}$).

– *If P is a general point for C , then the Galois group at P is the full symmetric group of degree d (resp. $d - 1$) if it is outer (resp. inner).* [3, 20, 50] –

(b) Find a geometrical condition that G_P is primitive, i.e., the condition be given by the covering $\tilde{\pi}_P : \tilde{C} \rightarrow \mathbb{P}^1$, where \tilde{C} is the normalization of C .

– *for rational curves,* [21] –

(c) Study these subjects in the remaining cases, i.e., the case where P is neither general nor Galois.

- (i) Find the Galois group and the Galois closure curve for C at P , in particular the genus $g(P)$ of the Galois closure curve.
– *for quartic curves*, [35, 49] –
- (ii) Determine the set $\mathcal{G}(C) = \{ g(P) \mid P \in C \}$ for a fixed smooth curve C .
In particular, determine $\mathcal{G}(F_d)$, where F_d is the Fermat curve of degree d .
Fixing d , determine the set $\mathcal{G}(d) = \{ g(P) \mid C \text{ is a smooth curve of degree } d \text{ and } P \in C \}$.
– *for quartic curves*, [49] –
- (iii) Find the number of points at which the Galois groups are isomorphic to a fixed group.
In particular, in the case where the group is an alternating group.
– *for relevant results*, [1, 2] –
- (iv) Study the above in detail for special curves. For example, let F_d be the Fermat curve of degree $d \geq 5$. Suppose $d - 1$ is not a prime number. Then, how is the Galois group at the flex?
– [36, 50] –
- (3) Deformations of Galois closure curves
- (a) For a smooth curve C consider the set $\{ C_P \mid P \in C \}$, where C_P is the Galois closure curve with respect to the projection $\pi_P : C \rightarrow \mathbb{P}^1$.
- (i) There exists a smooth projective surface S and a morphism $\varphi : S \rightarrow C$ satisfying that $\varphi^{-1}(P) \cong C_P$, where P is a general point of C . Study the structure of S and the singular fiber of φ .
– [41, 42, 53] –
- (ii) If a point P' is close to another one P , then are the Galois closure curves $C_{P'}$ and C_P not isomorphic to each other?
– [39, 41, 53] –
- (b) Similarly, for a smooth curve C , consider the set $\{ C_P \mid P \in \mathbb{P}^2 \}$. There exists a smooth projective threefold M and a morphism $\psi : M \rightarrow \mathbb{P}^2$ satisfying that $\psi^{-1}(Q) \cong C_Q$, where Q is a general point of $\mathbb{P}^2 \setminus C$. Study the structure of M and the singular fiber of ψ .
– [40] –
- (4) Space curves
- Study the same subjects for space curves. In particular, study the following:
- (a) curves in \mathbb{P}^3
- (i) Find Galois lines ℓ for C in two cases where $C \cap \ell = \emptyset$ and $C \cap \ell \neq \emptyset$. In particular, find the arrangement of Galois lines.
– *for quartic curves*, [5, 61] –
- (ii) Some space curve with a Galois line is obtained as a Galois closure curve of a plane curve. Characterize such a space curve.
– [54] –
- (iii) Suppose C is a curve in \mathbb{P}^3 which is a complete intersection of two surfaces of degrees d_1 and d_2 . Then, find the Galois lines and Galois groups. Does there exist any relation with the hypersurfaces?
– *for $d_1 = d_2 = 2$* , [61] –
- (b) curves in \mathbb{P}^n
- (i) Find the arrangement of Galois subspaces.

- (ii) Study the Galois subspaces and Galois groups for a rational normal curve C . In particular, find the Grassmannian of the Galois subspaces.
- (iii) Study the Galois group when the subspace is not Galois.

(B) Surface and Hypersurface Cases

Study the same subjects for hypersurfaces. In particular, study the following:

- (1) Galois points and Galois groups
 - (a) Find the Galois points and Galois groups for hypersurfaces with singularities.
 - for smooth hypersurfaces [51, 52], for normal quartic surfaces [44], for normal hypersurfaces [19] –
 - (b) Characterize the hypersurface with the maximal number of inner Galois points. Does it has a special property?
 - quartic surfaces have some special property, [25, 51] –
- (2) Non-Galois points
 - (a) When P is not a Galois point, consider the Galois closure surface.
 - for the definition of L_W -normalization, see [48] –
 - In many cases the Galois closure surfaces are of general type. So, we have an interest in the case where they are not of general type. [43] –

(C) Higher Dimensional Case and Galois Embedding

Study the same subjects for projective varieties V in \mathbb{P}^N . In order to treat the most general case, we should consider smooth varieties which are not necessarily in the projective space, so we consider the Galois embeddings.

– [55] –

- (1) Study the Grassmannian

$$\{ W \in \mathbb{G}(N - n - 1, N) \mid G_W \text{ is isomorphic to a full symmetric group } \}.$$

In particular, is it true that the codimension of the complement of the set is at least two ?

– [37] –

- (2) Suppose $\dim \text{Lin}(V) = 0^*$, W is close to W' (in the Grassmannian) and $W \neq W'$. Let L_W be the Galois closure of the extension determined by the projection. Then, is it true that L_W is not isomorphic to $L_{W'}$?
- (3) For an embedding (V, D) find the structure of Galois group G_W for each $W \in \mathbb{G}(N - n - 1, N)$. In particular, let A be a principally polarized abelian variety with the polarization Θ . Then study the structure of A and the Galois group when $(A, 3\Theta)$ gives a Galois embedding.
 - for an elliptic curve, the j -invariant is zero –
- (4) Find all the Galois subspaces for one Galois embedding, or find the arrangements of Galois subspaces. Suppose the Kodaira dimension of V is non-negative. Then, is it true that the number of Galois subspaces is finitely many?
 - [54] –

*Denote by $\text{Lin}(V)$ the subgroup of $\text{Aut}(V)$ consisting of elements induced by the projective transformations of the ambient space which leave V invariant.

- (5) For the surface with Kodaira dimension ≤ 0 , consider the Galois embeddings, the Galois subspaces and the Galois groups.
 – [55, 59, 63, 66] –
 – *bielliptic surfaces have no Galois embeddings* [64] –
- (6) Some projective variety with a Galois subspace is obtained as a Galois closure variety of another projective variety. Characterize such a variety.
 – [65] –
- (7) For each finite subgroup G of $GL(2, k)$, does there exist a pair (V, D) which defines the Galois embedding with the Galois group G such that $D^n = |G|$, $\dim V = n$ and $\dim H^0(V, \mathcal{O}(D)) = n + 3$?
 – [65] –
- (8) Consider the similar subjects in the case where $f(V) \cap W \neq \emptyset$.

(D) Related Topics

- (1) Let $k(x, y)$ be an algebraic function field of one variable over k . Suppose $k(x, y)/k(x)$ is a Galois extension and σ a Galois automorphism. Then, how can we express $\sigma(y)$ as an element of $k(x, y)$?
 – *this may have some relation with the singularity of the curve defining $k(x, y)$* , [62] –
- (2) In case the curve C is defined over \mathbb{Q} , can we develop the similar research? How is the Galois group at rational points? If the “degree of a point” becomes large, then how does the Galois group at the point become? Suppose C has good reduction C_p modulo p . Then, compare the Galois groups at the points in C and C_p .
 – *Theorem 3 in [50]* –
- (3) When an irreducible curve C exists in a ruled surface S , consider the projection $\pi : S \rightarrow \Delta$, where Δ is a base curve. Suppose C is not a fiber of π . Then, restricting π to C , we get an extension of function fields $k(C)/\pi^*k(\Delta)$. Do the similar research for this case as in the plane curve case. If C is smooth and $\pi|_C$ a Galois cover, then is the Galois group cyclic?
 – *Yes, for the Hirzebruch surface $S = \Sigma_n$ ($n \geq 1$), see for the details and other results*, [46] –
- (4) Study the same subject as above in a weighted projective space, i.e., consider a weighted projective variety, projection and function field . . .

II POSITIVE CHARACTERISTIC CASE

(A) Throughout the case where $p > 0$: Generalize results obtained in the case where $p = 0$ to arbitrary characteristic $p \geq 0$.

– *We have not checked yet whether a lot of results on Galois points obtained in the case where $p = 0$ hold also in $p > 0$. Therefore, almost all problems in I are open also in this case.* –

(B) Curve Case

- (1) Galois points and Galois groups for plane curves C
- (a) Find Galois points and the Galois groups for singular plane curves.
 – *for smooth curves, the number of Galois points and the Galois groups were settled.* [6, 7, 8, 10, 11, 13, 14, 22] –

- (i) Find new examples of plane curves having many Galois points. Determine the Galois groups for such curves.
 - *Klein quartic curve in $p = 2$ and Hermitian curves have many Galois points.* [11, 22]. *For curves with infinitely many Galois points, see [9, 17]. A certain rational curve of degree $p^e + 1$ has many Galois points.* [12]. *See also tables in III.* –
- (ii) Give an upper bound of the number of Galois points if the number is finite, and characterize curves attaining the bound. If the number of outer Galois points is finite and at least $(d - 1)^4 - (d - 1)^3 + (d - 1)^2$, then is such a curve Hermitian? What is the next upper bound?
 - *for $p > 2$ and inner (smooth) Galois points, the upper bound is $(d - 1)^3 + 1$ [15].* –
- (iii) Find Galois points and Galois groups for special curves in positive characteristic. For example, when C is a non-reflexive or strange curve.
 - *See [24, 27] for definition. For a non-reflexive curve of low degree, see [12].* –
- (iv) Find Galois points and the Galois groups for singular curves of lower genera. For rational curves not defined by $x - y^q = 0$, is it true that the number of inner (smooth) Galois points is at most d ?
 - *Even if the genus (of the smooth model) is 0 or 1, this problem is still open in the case where $p > 0$.* –
- (v) Classify plane curves whose all singular points are Galois.
 - *Such an example exists [12].* –

(b) Study the relations between Galois points and other subjects of research.

- (i) Study the relations between Galois points and rational points when C is defined over a finite field. Do there exist any relations between Galois points and rational points?
 - [11, 12, 22] –
- (ii) Is there an application to Coding theory? Find a curve C defined over a finite field whose Galois points are rational, and study algebraic-geometric codes from C with such points.
 - *cf. [18]* –

(2) Non-Galois points for plane curves C

- *In positive characteristic, the Galois group G_P at a general point $P \in \mathbb{P}^2 \setminus C$ (resp. $P \in C$) is not always a symmetric group, even if C is smooth.* [23] –
- (a) Is the Galois group G_P at a general point $P \in \mathbb{P}^2 \setminus C$ (resp. $P \in C$) a symmetric group when C is reflexive?
 - *cf. [37, 38]* –
- (b) What kind of group appears as the Galois group G_P at a general point $P \in \mathbb{P}^2 \setminus C$ (resp. $P \in C$) when C is non-reflexive? What is the genus $g(P)$ of C_P ?

(C) Hypersurface Case

- (1) Find Galois points for smooth or normal hypersurfaces.
 - *The Galois groups of Galois points have been determined.* [19]. *For the Fermat hypersurface of degree $p^e + 1$, the distribution of Galois points is settled.* –
- (2) Classify hypersurfaces with infinitely many Galois points.
 - *for the case where the dimension of the set of Galois points is equal to the one of the hypersurface [16]* –
- (3) Find new examples of hypersurfaces having many Galois points. Determine the Galois groups for such hypersurfaces.

- (4) Find Galois points and the Galois groups for special hypersurfaces in positive characteristic. For example, non-reflexive or strange hypersurfaces.
 – *The Fermat hypersurface of degree $p^e + 1$ has many Galois points and is non-reflexive.* –
- (5) Study the relations between Galois points and rational points for a hypersurface.

(D) Higher Dimensional Case

- (1) Classify projective varieties with infinitely many Galois subspaces.
 (2) Find Galois subspaces and the Galois groups for special varieties in positive characteristic. For example, non-reflexive or strange varieties.
 – *The studies of non-reflexivity from a certain viewpoint are discussed in [24].* –
 (3) Study the relations between Galois subspaces and rational points for a projective variety.

III APPENDIX: Tables of plane curves with two or more Galois points (Update August 2, 2012)

We denote by $\delta'(C)$ (resp. $\delta(C)$) the number of Galois points which is contained in $\mathbb{P}^2 \setminus C$ (resp. $C \setminus \text{Sing}(C)$). If the characteristic p is positive, then we assume that q is a power of p .

Summarizing results obtained by several authors by now, we make tables of plane curves with $\delta'(C) \geq 2$ and with $\delta(C) \geq 2$. In the tables, “groups” mean groups appearing as Galois groups at Galois points, “elem. p ” means an “elementary abelian p -group,” and “characterized?” means “Has the curve been characterized by the number of Galois points?”

$\delta'(C)$	p	d	equation (or param.)	groups	characterized?	ref.
∞	> 0	p^e	$\sum_{i=0}^e (\alpha_i x^{p^i} + \beta_i y^{p^i}) = 0$	elem. p	Yes	[17, 10]
$q^4 - q^3 + q^2$	> 0	$q + 1$	Fermat curve	cyclic	Yes (C : smooth)	[22]
$q(q + 1)/2$	> 0	$q + 1$	$(s^{q+1} : (s + t)^{q+1} : t^{q+1})$	cyclic	No	[12]
$q + 1$ or $q - 1$	2	$2q$	$(x^q + x)^2 + (x^q + x)(y^q + y) + \lambda_1(y^q + y)^2 + \lambda_0 = 0$ $(\lambda_1 \in \mathbb{F}_q, (q, \lambda_1, \lambda_0) \neq (2, 1, 1))$	elem. p	No	[13]
7	2	4	Klein quartic	elem. p	Yes (C : smooth)	[11, 13]
3	≥ 0	$\not\equiv 0 \pmod{p}$ $\neq q + 1$	Fermat curve	cyclic	Yes (C : smooth)	[35, 50]
3	0		$(s^d : (s + t)^d : t^d)$	cyclic	No	[56]
≥ 2	0	$2m$	$x^{2m} + x^m + y^{2m} = 0$	cyclic dihedral	No	[47]

$\delta(C)$	p	d	equation (or param.)	groups	characterized?	ref.
∞	> 0	q	$x - y^q = 0$	cyclic	Yes	[17]
$q^3 + 1$	> 0	$q + 1$	Fermat curve	elem. p	Yes ($p \neq 2$ or C : smooth)	[22]
$q + 1$	> 0	$q + 1$	$(s^{q+1} : (s + t)^{q+1} : t^{q+1})$	elem. p	No	[12]
$q + 1$	2	$q + 1$	$\prod_{\alpha \in \mathbb{F}_q} (x + \alpha y + \alpha^2) + cy^{q+1} = 0$ $(c \neq 0, 1)$	elem. p	Yes (C : smooth)	[14]
4	$\neq 2, 3$	4	$x^3 + y^4 + 1 = 0$	cyclic	Yes (C : smooth)	[35, 50]
2	0	4	$x^4 - x^3 y + y^3 = 0$	cyclic	No	[30]

REFERENCES

1. M. Artgenani and G. P. Pirola, Algebraic function with even monodromy, *Proc. Amer. Math. Soc.*, **133** (2005), 331–341.
2. S. Brivio and G. P. Pirola, Alternating groups and rational functions on surfaces, *Compos. Math.*, **142** (2006), 409–421.
3. F. Cukierman, Monodromy of projections, *Mat. Contemp.*, **16** 15th School of Algebra (Portuguese) (1999), 9–30.
4. C. Duyaguit and K. Miura, On the number of Galois points for plane curves of prime degree, *Nihonkai Math. J.*, **14** (2003), 55–59.
5. C. Duyaguit and H. Yoshihara, Galois lines for normal elliptic space curves, *Algebra Colloquium*, **12** (2005), 205–212.
6. S. Fukasawa, Galois points on quartic curves in characteristic 3, *Nihonkai Math. J.*, **17** (2006), 103–110
7. ———, On the number of Galois points for a plane curve in positive characteristic, *Comm. Algebra*, **36** (2008), 29–36.
8. ———, On the number of Galois points for a plane curve in positive characteristic, II, *Geom. Dedicata*, **127** (2007), 131–137.
9. ———, Classification of plane curves with infinitely many Galois points, *J. Math. Soc. Japan*, **63** (2011), 195–209.
10. ———, Galois points for a plane curve in arbitrary characteristic, *Geom. Dedicata*, **139** (2009), 211–218.
11. ———, On the number of Galois points for a plane curve in positive characteristic, III, *Geom. Dedicata*, **146** (2010), 9–20.
12. ———, Galois points for a non-reflexive plane curve of low degree, preprint.
13. ———, Galois points for a plane curve in characteristic two, preprint.
14. ———, Complete determination of the number of Galois points for a smooth plane curve, *Rend. Sem. Mat. Univ. Padova*, to appear.
15. ———, Characterization of a Hermitian curve by Galois point, preprint, arXiv:1108.5823(math.AG).
16. ———, Hypersurfaces with infinitely many Galois points, preprint, arXiv:1206.6939(math.AG).
17. S. Fukasawa and T. Hasegawa, Singular plane curves with infinitely many Galois points, *J. Algebra*, **323** (2010), 10–13.
18. S. Fukasawa, M. Homma and S. J. Kim, Rational curves with many rational points over a finite field, Arithmetic, Geometry, Cryptography and Coding Theory, 37–48, *Contemp. Math.*, **574**, Amer. Math. Soc., Providence, RI, 2012.
19. S. Fukasawa and T. Takahashi, Galois points for a normal hypersurface, *Trans. Amer. Math. Soc.*, to appear.
20. J. Harris, Galois groups of enumerative problems, *Duke Math. J.*, **46** (1979), 685–724.
21. H. Hayashi and H. Yoshihara, Galois group at each point for some self-dual curve, in preparation.
22. M. Homma, Galois points for a Hermitian curve, *Comm. Algebra*, **34** (2006), 4503–4511.
23. ———, The Galois group of a projection of a Hermitian curve, *Int. J. Algebra*, **1** (2007), 563–585.
24. H. Kaji, The separability of the Gauss map versus the reflexivity, *Geom. Dedicata*, **139** (2009), 75–82.
25. M. Kanazawa, T. Takahashi and H. Yoshihara, The group generated by automorphisms belonging to Galois points of the quartic surface, *Nihonkai Math. J.*, **12** (2001), 89–99.
26. M. Kanazawa and H. Yoshihara, Galois group at Galois point for genus-one curve, *Int. J. Algebra*, **5** (2011), 1161–1174.
27. S. L. Kleiman, Multiple tangents of smooth plane curves (after Kaji), Algebraic geometry: Sundance 1988, 71–84, *Contemp. Math.* **116**, Amer. Math. Soc., Providence, RI, 1991.
28. K. Miura, Field theory for function fields of singular plane quartic curves, *Bull. Austral. Math. Soc.*, **62** (2000), 193–204.
29. ———, Field theory for function fields of plane quintic curves, *Algebra Colloquium*, **9** (2002), 303–312.
30. ———, Galois points on singular plane quartic curves, *J. Algebra*, **287** (2005), 283–293.
31. ———, Galois points for plane curves and Cremona transformations, *J. Algebra*, **320** (2008), 987–995.
32. ———, On dihedral Galois coverings arising from Lissajous’s curves, *J. Geometry*, **91** (2009), 63–72.
33. ———, A note on birational transformations belonging to Galois points, *Beitr. Algebra Geom.*, to appear.
34. K. Miura, A. Ohbuchi and T. Takahashi, Automorphisms of a nonsingular curve on a rational surface of Picard number three, *Far East J. Math. Sci.*, **47** (2010), 109–119.
35. K. Miura and H. Yoshihara, Field theory for function fields of plane quartic curves, *J. Algebra*, **226** (2000), 283–294.
36. ———, Field theory for the function field of the quintic Fermat curves, *Comm. Algebra*, **28** (2000), 1979–1988.
37. G.P. Pirola and E. Schlesinger, Monodromy of Projective Curves, *J. Algebraic Geom.*, **14** (2005), 623–642.
38. J. Rathmann, The uniform position principle for curves in characteristic p , *Math. Ann.*, **276** (1987), 565–579.
39. H. Sakai, Infinitesimal deformation of Galois covering space and its application to Galois closure curve, *Nihonkai Math. J.*, **14** (2003), 133–177.
40. ———, Total spaces of families of Galois closure curves, preprint.
41. T. Shirane, Families of Galois closure curves for plane quintic curves, *J. Algebra*, **342** (2011), 175–196.

42. ———, Certain \mathcal{S}_5 -covers over smooth surfaces and Families of Galois closure curves for plane sextic curves, to appear.
43. T. Takahashi, Minimal splitting surface determined by a projection of a smooth quartic surface, *Algebra Colloquium*, **9** (2002), 107–115.
44. ———, Galois points on normal quartic surfaces, *Osaka J. Math.*, **16** (2002), 647–663.
45. ———, Non-smooth Galois points on a quintic curve with one singular point, *Nihonkai Math. J.*, **16** (2005), 57–66.
46. ———, Galois morphism computing the gonality of a curve on a Hirzebruch surface, *J. Pure Appl. Algebra*, **216** (2012), 12–19.
47. ———, Galois point for a plane curve with one or two singular points, in preparation.
48. H. Tokunaga, Triple coverings of algebraic surfaces according to the Cardano formula, *J. Math. Kyoto Univ.*, **31** (1991), 359–375.
49. S. Watanabe, The genera of Galois closure curves for plane quartic curves, *Hiroshima Math. J.*, **38** (2008), 125–134.
50. H. Yoshihara, Function field theory of plane curves by dual curves, *J. Algebra*, **239** (2001), 340–355.
51. ———, Galois points on quartic surfaces, *J. Math. Soc. Japan*, **53** (2001), 731–743.
52. ———, Galois points for smooth hypersurfaces, *J. Algebra*, **264** (2003), 520–534.
53. ———, Families of Galois closure curves for plane quartic curves, *J. Math. Kyoto Univ.*, **43** (2003), 651–659.
54. ———, Galois lines for space curves, *Algebra Colloquium*, **13** (2006), 455–469
55. ———, Galois embedding of algebraic variety and its application to abelian surface, *Rend. Sem. Mat. Univ. Padova*, **117** (2007), 69–86
56. ———, Galois points for plane rational curves, *Far east J. Math.*, **25** (2007), 273–284
57. ———, Errata to “Galois points for plane rational curves”, *Far east J. Math.*, **29** (2008), 209–212
58. ———, Rational curve with Galois point and extendable Galois automorphism, *J. Algebra*, **321** (2009), 1463–1472.
59. ———, A note on minimal Galois embedding of abelian surface, *Rend. Sem. Mat. Univ. Padova*, **126** (2011), 1–9.
60. ———, Rational cuspidal curve with a Galois point, *Math. Nachr.*, **284** (2011), 1583–1587.
61. ———, Galois lines for normal elliptic space curves, II, arXiv:1004.4962v1 (math.AG) *Algebra Colloquium*, to appear
62. ———, A relation between Galois automorphism and curve singularity, *JP Journal of Alg. Number theory and Applications*, **20** (2011) 213–223.
63. ———, Galois embeddings of $K3$ surfaces –abelian case–, arXiv:1104.1674(math.AG).
64. ———, Non-existence of Galois covering of smooth rational surface by bielliptic surface, to appear
65. ———, Sextic variety as Galois closure variety of smooth cubic, to appear
66. ———, Galois embedding of projective plane –abelian case–, preprint